



DECLARATION OF PERFORMANCE No 0499

1. Unique identification code of the product-type: **KLIMAEXPERT MW**
2. Intended use/es: **External thermal insulation of walls and buildings**
3. Manufacturer: **KERAKOLL Hellas E.P.E. - 1st km. Schimatari-Avlida Rd. - 32009 Schimatari-Viotia - Greece**
4. System/s of AVCP:**System 1**
5. European Assessment Document: **ETAG 004 used as EAD, February 2013**
European Technical Assessment : **ETA-19/0256 of 18/08/2020**
Technical Assessment Body: **TZUS**
Notified body/ies: **TZUS n°1020**
6. Declared performance/s:

Essential characteristics	Performance
Reaction to fire	A2-s1,d0
Water absorption	< 0,5 kg/m²
Hygrothermal performance	pass
Impact resistance	category II
Freeze/thaw performance	satisfied
Water vapour permeability	S_D ≤ 1,0 m
Bond strength between base coat and insulation product ⁽¹⁾	≤ 0,08 MPa
Bond strength between adhesive and concrete (dry)	≥ 0,25 MPa
Bond strength after ageing ⁽¹⁾	≤ 0,08 MPa
Airborne sound insulation	-5 dB
Release of dangerous substaces	See SDS of related products

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.


Signed for and on behalf of the manufacturer by: **Zissis Koulaxidis (General Manager)**

At Schimatari-Viotia, on 21/08/2020

⁽¹⁾ with cohesive failure in the insulation product



CE 1020	Kerakoll Hellas E.P.E. 1st km Schimatari-Avlida Rd. Schimatari-Viotia, Greece. www kerakoll.com
20 KlimaExpert MW DoP n° 0499	
ETA-19/0256 ETAG N°004	



www.kerakoll.com

ΚΕΡΑΚΟΛΛ ΕΛΛΑΣ Ε.Π.Ε. – 1ο Χλμ. Σχηματαρίου – Αυλίδας, Θέση Ρουθούνια – 32009 Σχηματάρι Βοιωτίας, Ελλάδα
Tel. +30 22620 49700 – Fax +30 22620 58788 – e-mail: info@kerakollhellas.gr
Α.Φ.Μ.: 099224696, Γενικό Εμπορικό Μητρώο (Γ.Ε.ΜΗ.): 013412517000, Μετοχικό Κεφάλαιο: 5.001.270 €