

DECLARATION OF PERFORMANCE No 0190

1. Unique identification code of the product-type: GEOLITE

2. Intended use/es: Coating for surface protection of concrete structures according to principles 2 (MC), 5 (PR) and 8 (IR).

3. Manufacturer: Kerakoll Ibérica, S.A. - Ctra. Alcora Km 10,450 Castellón - España

4. System/s of AVCP: System 2+ and System 4 for reaction to fire

Harmonised standard: EN 1504-2:2004
 Notified body/ies: S.G.S. Italia No.1381

6. Declared performance/s:

Essential characteristics	Performance		
Reaction to fire	Class A1		
D 1994			
Permeability to water vapour	Class I, S _D < 5 m		
Capillary absorption and permeability to water	w < 0,1 kg*m ⁻² *h ^{-0,5}		
Adhesion strength by pull-off test	≥ 2,0 N/mm²		
Linear shrinkage	≤ 0,3%		
Coefficient of thermal expansion	αt ≤ 30 • 10 ⁻⁶ °K ⁻¹		
Abrasion resistance	weight loss < 3000 mg		
Thermal compatibility (freeze-thaw)	≥ 2,0 N/mm²		
Impact resistance	Class III		
Release of dangerous substances	See SDS		

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Pau Ramia (legal representative)

At Castellón, on 16/12/2022





DECLARATION OF PERFORMANCE No 0190

1. Unique identification code of the product-type: GEOLITE

2. Intended use/es: Product for concrete structural repair according to principles: 3 (CR), 4 (SS) and 7 (RP).

3. Manufacturer: Kerakoll Ibérica, S.A. - Ctra. Alcora Km 10,450 Castellón - España

4. System/s of AVCP: Syistem 2+ and System 4 for reaction to fire

Harmonised standard: EN 1504-3:2005
 Notified body/ies: S.G.S. Italia No.1381

6. Declared performance/s:

Essential characteristics	Performance
Reaction to fire	Class A1
Compressive strength	Class R4
Chloride ion content	≤ 0,05 %
Adhesive bond	≥ 2,0 MPa
Thermal compatibility (freeze-thaw)	≥ 2,0 MPa
Capillary absorption	≤ 0,5 Kg·m ⁻² · h ^{-0,5}
Elastic modulus CC	≥ 20 GPa
Elastic modulus PCC	≥ 20 GPa
Carbonation resistance	Pass
Release of dangerous substances	See SDS

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: **Pau Ramia (legal representative)** At Castellón, on 16/12/2022





DECLARATION OF PERFORMANCE No 0190

- 1. Unique identification code of the product-type: GEOLITE
- 2. Intended use/es: Repair products for concrete, used in buildings and civil engineering works according to principle 4 (SS).
- 3. Manufacturer: Kerakoll Ibérica, S.A. Ctra. Alcora Km 10,450 Castellón España
- 4. System/s of AVCP: System 2+ and System 4 for reaction to fire
- Harmonised standard: EN 1504-6:2006
 Notified body/ies: S.G.S. Italia No.1381
- **6.** Declared performance/s:

Essential characteristics	Performance		
Reaction to fire	Class A1		
Pull-out strength displacement Chloride ion content	≤ 0,6 mm at load of 75 KN ≤ 0,05 %		
Release of dangerous substances	See SDS		

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Pau Ramia (legal representative)

At Castellón, on 16/12/2022





DECLARATION OF PERFORMANCE No 0190

7. Unique identification code of the product-type: GEOLITE

8. Intended use/es: Product for reinforcement corrosion protection according to principle 11 (CA).

9. Manufacturer: Kerakoll Ibérica, S.A. – Ctra. Alcora Km 10,450 Castellón - España

10. System/s of AVCP: System 2+

Harmonised standard: EN 1504-7:2006
 Notified body/ies: S.G.S. Italia No.1381

12. Declared performance/s:

Essential characteristics	Performance
Shear adesion Corrosion protection	Pass Pass
Release of dangerous substances	See SDS

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: **Pau Ramia (legal representative)** At Castellón, on 16/12/2022

