#### **DECLARATION OF PERFORMANCE No 0190**

- 1. Unique identification code of the product-type: GEOLITE
- 2. Intended use/es: Coating for surface protection of concrete structures according to principles 2 (MC), 5 (PR) and 8 (IR).
- 3. Manufacturer: Kerakoll Ibérica, S.A. Ctra. Alcora Km 10,450 Castellón España
- 4. System/s of AVCP: System 2+ and System 4 for reaction to fire
- 5. Harmonised standard: EN 1504-2:2004

Notified body/ies: LRQA Iberia No.0094

6. Declared performance/s:

Essential characteristics	Performance
Reaction to fire	Class A1
Dermechility to water venour	
Permeability to water vapour	Class I, $S_D < 5 \text{ m}$
Capillary absorption and permeability to water	w < 0,1 kg*m <sup>-2</sup> *h <sup>-0,5</sup>
Adhesion strength by pull-off test	≥ 2,0 N/mm²
Linear shrinkage	<b>≤ 0,3%</b>
Coefficient of thermal expansion	αt ≤ 30 • 10 <sup>-6</sup> °K <sup>-1</sup>
Abrasion resistance	weight loss < 3000 mg
Thermal compatibility (freeze-thaw)	≥ 2,0 N/mm²
Impact resistance	Class III
Release of dangerous substances	See SDS

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Pau Ramia (legal representative)

At Castellón, on 04/03/2025

### kerakoll.com

#### DECLARATION OF PERFORMANCE No 0190

- 1. Unique identification code of the product-type: GEOLITE
- 2. Intended use/es: Product for concrete structural repair according to principles: 3 (CR), 4 (SS) and 7 (RP).
- 3. Manufacturer: Kerakoll Ibérica, S.A. Ctra. Alcora Km 10,450 Castellón España
- 4. System/s of AVCP: Syistem 2+ and System 4 for reaction to fire
- 5. Harmonised standard: EN 1504-3:2005

Notified body/ies: LRQA Iberia No.0094

6. Declared performance/s:

Essential characteristics	Performance
Reaction to fire	Class A1
Compressive strength	Class R4
Chloride ion content	≤ 0,05 %
Adhesive bond	≥ 2,0 MPa
Thermal compatibility (freeze-thaw)	≥ 2,0 MPa
Capillary absorption	≤ 0,5 Kg·m <sup>-2</sup> · h <sup>-0,5</sup>
Elastic modulus CC	≥ 20 GPa
Elastic modulus PCC	≥ 20 GPa
Carbonation resistance	Pass
Release of dangerous substances	See SDS

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Pau Ramia (legal representative)

At Castellón, on 04/03/2025

### kerakoll.com



#### **DECLARATION OF PERFORMANCE No 0190**

- 1. Unique identification code of the product-type: GEOLITE
- 2. Intended use/es: Repair products for concrete, used in buildings and civil engineering works according to principle 4 (SS).
- 3. Manufacturer: Kerakoll Ibérica, S.A. Ctra. Alcora Km 10,450 Castellón España
- 4. System/s of AVCP: System 2+ and System 4 for reaction to fire
- 5. Harmonised standard: EN 1504-6:2006

Notified body/ies: LRQA Iberia No.0094

6. Declared performance/s:

Essential characteristics	Performance
Reaction to fire	Class A1
Pull-out strength displacement Chloride ion content	≤ 0,6 mm at load of 75 KN ≤ 0,05 %
Release of dangerous substances	See SDS

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Pau Ramia (legal representative)

At Castellón, on 04/03/2025

### kerakoll.com

#### DECLARATION OF PERFORMANCE No 0190

- 7. Unique identification code of the product-type: GEOLITE
- 8. Intended use/es: Product for reinforcement corrosion protection according to principle 11 (CA).
- 9. Manufacturer: Kerakoll Ibérica, S.A. Ctra. Alcora Km 10,450 Castellón España
- 10. System/s of AVCP: System 2+
- 11. Harmonised standard: EN 1504-7:2006

Notified body/ies: LRQA Iberia No.0094

12. Declared performance/s:

Essential characteristics	Performance
Shear adesion Corrosion protection	Pass
Release of dangerous substances	See SDS

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Pau Ramia (legal representative)

At Castellón, on 04/03/2025

### kerakoll.com