



# kerakoll

## DECLARATION OF PERFORMANCE No. 0422

1. Unique identification code of the product-type: **SILICONE**
2. Intended use/es: **Sealant for external and internal, non-structural use: facade joints; included cold climates.**
3. Manufacturer: **Kerakoll France 25, avenue de l'Industrie 69960 Corbas – France**
4. Importer: **Tilemaster Adhesives Ltd – Kerakoll Group – Tomlinson Road, Leyland, Lancashire, PR25 2DY, UK**
5. System/s of AVCP:  
**System 3 and System 3 for reaction to fire**
6. Harmonised standard: **BS EN 15651-1:2012**  
Notified body/ies: **SKZ – TeConA GmbH, No. 1213**
7. Declared performance/s:  
**EN15651-1 F-EXT-INT-CC (Class 25 LM)**  
**Pretreatment: Method A**  
**Substrate: glass; without primer**  
**aluminium without primer**  
**mortar M1 with primer**

| Essential characteristics  | Performance     |
|--|-----------------|
| <b>Reaction to fire</b>  | <b>Class E</b>  |
| <b>Resistance to flow</b>  | <b>≤3 mm</b>    |
| <b>Loss of volume</b>  | <b>≤10 %</b>    |
| <b>Tensile properties at maintained extension after water immersion</b>  | <b>Pass</b>     |
| <b>Secant tensile modulus at -30°C</b>   | <b>≤0,9 MPa</b> |
| <b>Tensile properties at maintained extension for non-structural sealants used in joints in cold climate areas (-30°C)</b> | <b>Pass</b>     |
| <b>Durability</b>  | <b>Pass</b>     |
| <b>Release of dangerous substances</b>   | <b>See SDS</b>  |

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: **Etienne Guichard (legal representative)**

At Corbas, on 18/07/2022

kerakoll.com

KERAKOLL FRANCE - au capital de € 6.500.000,00

25 Avenue de l'Industrie - 69960 Corbas, France - Tél +33 (0) 4 72 89 06 80 - Fax +33 (0) 4 72 89 06 81 - e-mail: info@kerakoll.fr  
Siret 809 032 469 00011

## DECLARATION OF PERFORMANCE No. 0422


1. Unique identification code of the product-type: **SILICONE**
2. Intended use/es: **Sealant used for sealing glazing applications; included cold climates.**
3. Manufacturer: **Kerakoll France 25, avenue de l'Industrie 69960 Corbas – France**
4. Importer: **Tilemaster Adhesives Ltd – Kerakoll Group – Tomlinson Road, Leyland, Lancashire, PR25 2DY, UK**
5. System/s of AVCP:  
**System 3 and System 3 for reaction to fire**
6. Harmonised standard: **BS EN 15651-2:2012**  
Notified body/ies: **SKZ – TeConA GmbH, No. 1213**
7. Declared performance/s:  
**EN15651-2 G-CC (Class 25LM)**  
**Pretreatment: Method A**  
**Substrate: glass; without primer**  
**aluminium; without primer**

| Essential characteristics   | Performance     |
|---|-----------------|
| <b>Reaction to fire</b>   | <b>Class E</b>  |
| <b>Resistance to flow</b>   | <b>≤3 mm</b>    |
| <b>Loss of volume</b>   | <b>≤10 %</b>    |
| <b>Secant tensile modulus at -30°C</b>  | <b>≤0,9 MPa</b> |
| <b>Tensile properties at maintained extension at -30°C</b>                            | <b>Pass</b>     |
| <b>Adhesion/cohesion properties after exposure to heat water and artificial light</b> | <b>Pass</b>     |
| <b>Elastic recovery</b>   | <b>≥60 %</b>    |
| <b>Durability</b>   | <b>Pass</b>     |
| <b>Release of dangerous substances</b>  | <b>Vedi SDS</b> |

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: **Etienne Guichard (legal representative)**

At Corbas, on 18/07/2022



kerakoll.com

KERAKOLL FRANCE - au capital de € 6.500.000,00

25 Avenue de l'Industrie - 69960 Corbas, France - Tél +33 (0) 4 72 89 06 80 - Fax +33 (0) 4 72 89 06 81 - e-mail: info@kerakoll.fr  
Siret 809 032 469 00011



# kerakoll

## DECLARATION OF PERFORMANCE No. 0422

1. Unique identification code of the product-type: **SILICONE**
2. Intended use/es: **Sealant for non-structural use: sanitary joints .**
3. Manufacturer: **Kerakoll France 25, avenue de l'Industrie 69960 Corbas – France**
4. Importer: **Tilemaster Adhesives Ltd – Kerakoll Group – Tomlinson Road, Leyland, Lancashire, PR25 2DY, UK**
5. System/s of AVCP:  
**System 3 and System 3 for reaction to fire**
6. Harmonised standard: **BS EN 15651-3:2012**  
Notified body/ies: **SKZ – TeConA GmbH, No. 1213**
7. Declared performance/s:  
**EN15651-3 S (Class XS1)**  
**Pretreatment: Method A**  
**Substrate: glass; without primer**  
**aluminium; without primer**

| Essential characteristics  | Performance    |
|--|----------------|
| <b>Reaction to fire</b>  | <b>Class E</b> |
| <b>Resistance to flow</b>  | <b>≤ 3 mm</b>  |
| <b>Loss of volume</b>  | <b>≤ 20%</b>   |
| <b>Tensile properties at maintained extension after immersion in water</b> | <b>Pass</b>    |
| <b>Microbiological growth</b>  | <b>1</b>       |
| <b>Durability</b>  | <b>Pass</b>    |
| <b>Release of dangerous substances</b>                                     | <b>See SDS</b> |

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: **Etienne Guichard (legal representative)**

At Corbas, on 18/07/2022

kerakoll.com

KERAKOLL FRANCE - au capital de € 6.500.000,00

25 Avenue de l'Industrie - 69960 Corbas, France - Tél +33 (0) 4 72 89 06 80 - Fax +33 (0) 4 72 89 06 81 - e-mail: info@kerakoll.fr  
Siret 809 032 469 00011



# kerakoll

## DECLARATION OF PERFORMANCE No. 0422

1. Unique identification code of the product-type: **SILICONE**
2. Intended use/es: **Sealant for movement joints in floors for interior and exterior application, for non-structural use; included cold climates.**
3. Manufacturer: **Kerakoll France 25, avenue de l'Industrie 69960 Corbas – France**
4. Importer: **Tilemaster Adhesives Ltd – Kerakoll Group – Tomlinson Road, Leyland, Lancashire, PR25 2DY, UK**
5. System/s of AVCP:  
**System 3 and System 4 for reaction to fire**
6. Harmonised standard: **BS EN 15651-4:2012**  
Notified body/ies: **SKZ – TeConA GmbH, No. 1213**
7. Declared performance/s:  
**EN15651-4 PW-EXT-INT-CC (Classe 12,5 E)**  
**Pretreatment: Method A**  
**Substrate: mortar M1 with primer**

| Essential characteristics  | Performance     |
|--|-----------------|
| <b>Reaction to fire</b>  | <b>Class E</b>  |
| <b>Loss of volume</b>  | <b>≤ 15%</b>    |
| <b>Tensile properties at maintained extension</b>  | <b>Pass</b>     |
| <b>Adhesion / cohesion properties at maintained extension after water immersion</b>  | <b>Pass</b>     |
| <b>Adhesion / cohesion properties at maintained extension after salt water immersion</b>                                   | <b>Pass</b>     |
| <b>Tensile properties at maintained extension for non-structural sealants used in joints in cold climate areas (-30°C)</b> | <b>Pass</b>     |
| <b>Tear resistance</b>   | <b>Pass</b>     |
| <b>Durability</b>  | <b>Pass</b>     |
| <b>Release of dangerous substances</b>   | <b>Vedi SDS</b> |

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: **Etienne Guichard (General Manager)**

At Corbas, on 18/07/2022

kerakoll.com

KERAKOLL FRANCE - au capital de € 6.500.000,00

25 Avenue de l'Industrie - 69960 Corbas, France - Tél +33 (0) 4 72 89 06 80 - Fax +33 (0) 4 72 89 06 81 - e-mail: info@kerakoll.fr  
Siret 809 032 469 00011