kerakoll

DECLARATION OF PERFORMANCE No 0037

- 1. Unique identification code of the product-type: GEOLITE
- 2. Intended use/es: Repair products for concrete, used in buildings and civil engineering works according to principles 2 (MC) and 8 (IR).
- 3. Manufacturer: Kerakoll S.p.A Via dell'Artigianato, 9 41049 Sassuolo (MO) Italia
- 4. System/s of AVCP: System 2+ and System 4 for reaction to fire
- 5. Harmonised standard: EN 1504-2:2004

Notified body/ies: S.G.S. Italia No.1381

6. Declared performance/s:

Essential characteristics	Performance	
Reaction to fire	Class A1	
Permeability to water vapour	Class I, Sd < 5 m	
Capillary absorption and permeability to water	w < 0,1 kg*m ⁻² *h ^{-0,5}	
Adhesion strength by pull-off test	≥ 2,0 N/mm²	
Linear shrinkage	≤ 0,3%	
Coefficient of thermal expansion	αt ≤ 30 • 10 ⁻⁶ °K ⁻¹	
Adhesion after thermal compatibility (freeze-thaw cyc)	≥ 2,0 N/mm²	
Impact resistance	Class III	
Release of dangerous substances	See SDS	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Romano Sghedoni (legal representative)

At Sassuolo, on 29/04/2024

Mofrede

kerakoll.com

KERAKOLL Spa - Società con unico socio Fin Firel Spa - Soggetta a direzione e coordinamento di Fin-Firel Spa via dell'Artigianato, 9 - 41049 Sassuolo (MO) Italia - Tel +39 0536 816 511 - Fax +39 0536 816 581 - e-mail: info@kerakoll.com Rea MO n. 231812 - Reg. Imp. / Cod. Fisc. / P. Iva IT 01174510360 - Cap. Soc. € 2.000.000,00 i.v.

kerakoll

DECLARATION OF PERFORMANCE No 0037

- 1. Unique identification code of the product-type: GEOLITE
- 2. Intended use/es: Repair products for concrete, used in buildings and civil engineering works according to principles 3 (CR), 4 (SS) and 7 (RP).
- 3. Manufacturer: Kerakoll S.p.A Via dell'Artigianato, 9 41049 Sassuolo (MO) Italia
- 4. System/s of AVCP: System 2+ and System 4 for reaction to fire
- 5. Harmonised standard: EN 1504-3:2005

Notified body/ies: S.G.S. Italia No.1381

6. Declared performance/s:

Essential characteristics	Performance
Reaction to fire	Class A1
Compressive strength	Class R4
Chloride ion content	≤ 0,05 %
Adhesive bond	≥ 2,0 MPa
Thermal compatibility (freeze-thaw)	≥ 2,0 MPa
Capillary absorption	≤ 0,5 kg·m ⁻² · h ^{-0,5}
Elastic modulus CC	≥ 20 GPa
Elastic modulus PCC	≥ 20 GPa
Carbonation resistance	Pass
Release of dangerous substances	See SDS

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Romano Sghedoni (legal representative)

At Sassuolo, on 29/04/2024

Mofrede

kerakoll.com

KERAKOLL Spa - Società con unico socio Fin Firel Spa - Soggetta a direzione e coordinamento di Fin-Firel Spa via dell'Artigianato, 9 - 41049 Sassuolo (MO) Italia - Tel +39 0536 816 511 - Fax +39 0536 816 581 - e-mail: info@kerakoll.com Rea MO n. 231812 - Reg. Imp. / Cod. Fisc. / P. Iva IT 01174510360 - Cap. Soc. € 2.000.000,00 i.v.

CE

kerakoll

DECLARATION OF PERFORMANCE No 0037

- 1. Unique identification code of the product-type: GEOLITE
- 2. Intended use/es: Repair products for concrete, used in buildings and civil engineering works according to principle 4 (SS).
- 3. Manufacturer: Kerakoll S.p.A Via dell'Artigianato, 9 41049 Sassuolo (MO) Italia
- 4. System/s of AVCP: System 2+ and System 4 for reaction to fire
- 5. Harmonised standard: EN 1504-6:2006

Notified body/ies: S.G.S. Italia No.1381

6. Declared performance/s:

Essential characteristics	Performance
Reaction to fire	Class A1
Pull-out strength displacement Chloride ion content	≤ 0,6 mm at load of 75 KN ≤ 0,05 %
Release of dangerous substances	See SDS

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Romano Sghedoni (legal representative)

At Sassuolo, on 29/04/2024

Mofrede

kerakoll.com

KERAKOLL Spa - Società con unico socio Fin Firel Spa - Soggetta a direzione e coordinamento di Fin-Firel Spa via dell'Artigianato, 9 - 41049 Sassuolo (MO) Italia - Tel +39 0536 816 511 - Fax +39 0536 816 581 - e-mail: info@kerakoll.com Rea MO n. 231812 - Reg. Imp. / Cod. Fisc. / P. Iva IT 01174510360 - Cap. Soc. € 2.000.000,00 i.v.

kerakoll

DECLARATION OF PERFORMANCE No 0037

- 7. Unique identification code of the product-type: GEOLITE
- 8. Intended use/es: Repair products for concrete, used in buildings and civil engineering works according to principle 11 (CA).
- 9. Manufacturer: Kerakoll S.p.A Via dell'Artigianato, 9 41049 Sassuolo (MO) Italia
- 10. System/s of AVCP: System 2+
- 11. Harmonised standard: EN 1504-7:2006

Notified body/ies: S.G.S. Italia No.1381

12. Declared performance/s:

Essential characteristics	Performance
Shear adesion	Pass
Corrosion protection Release of dangerous substances	Pass See SDS
Release of dangerous substances	See SDS

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Romano Sghedoni (legal representative)

At Sassuolo, on 29/04/2024

Apprealer.

kerakoll.com

KERAKOLL Spa - Società con unico socio Fin Firel Spa - Soggetta a direzione e coordinamento di Fin-Firel Spa via dell'Artigianato, 9 - 41049 Sassuolo (MO) Italia - Tel +39 0536 816 511 - Fax +39 0536 816 581 - e-mail: info@kerakoll.com Rea MO n. 231812 - Reg. Imp. / Cod. Fisc. / P. Iva IT 01174510360 - Cap. Soc. € 2.000.000,00 i.v.