

DECLARATION OF PERFORMANCE No 0037

1. Unique identification code of the product-type: GEOLITE

2. Intended use/es: Repair products for concrete, used in buildings and civil engineering works according to principles 2 (MC) and 8 (IR).

3. Manufacturer: Kerakoll S.p.A Via dell'Artigianato, 9 - 41049 Sassuolo (MO) Italia

4. System/s of AVCP: System 2+ and System 4 for reaction to fire

Harmonised standard: EN 1504-2:2004
 Notified body/ies: LRQA Iberia No.0094

6. Declared performance/s:

Essential characteristics	Performance	
Reaction to fire	Class A1	
Permeability to water vapour	Class I, Sd < 5 m	
Capillary absorption and permeability to water	w < 0,1 kg*m ⁻² *h ^{-0,5}	
Adhesion strength by pull-off test	≥ 2,0 N/mm ²	
Linear shrinkage	≤ 0,3%	
Coefficient of thermal expansion	αt ≤ 30 • 10 ⁻⁶ °K ⁻¹	
Adhesion after thermal compatibility (freeze-thaw cyc)	≥ 2,0 N/mm ²	
Impact resistance	Class III	
Release of dangerous substances	See SDS	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: **Romano Sghedoni (legal representative)** At Sassuolo, on 09/06/2025

Melede



DECLARATION OF PERFORMANCE No 0037

1. Unique identification code of the product-type: GEOLITE

2. Intended use/es: Repair products for concrete, used in buildings and civil engineering works according to principles 3 (CR), 4 (SS) and 7 (RP).

3. Manufacturer: Kerakoll S.p.A Via dell'Artigianato, 9 - 41049 Sassuolo (MO) Italia

4. System/s of AVCP: System 2+ and System 4 for reaction to fire

Harmonised standard: EN 1504-3:2005
 Notified body/ies: LRQA Iberia No.0094

6. Declared performance/s:

Essential characteristics	Performance	
Reaction to fire	Class A1	
Compressive strength	Class R4	
Chloride ion content	≤ 0,05 %	
Adhesive bond	≥ 2,0 MPa	
Thermal compatibility (freeze-thaw)	≥ 2,0 MPa	
Capillary absorption	≤ 0,5 kg·m ⁻² · h ^{-0,5}	5
Elastic modulus CC	≥ 20 GPa	
Elastic modulus PCC	≥ 20 GPa	
Carbonation resistance	Pass	
Release of dangerous substances	See SDS	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: **Romano Sghedoni (legal representative)** At Sassuolo, on 09/06/2025

Mylede



DECLARATION OF PERFORMANCE No 0037

1. Unique identification code of the product-type: GEOLITE

2. Intended use/es: Repair products for concrete, used in buildings and civil engineering works according to principle 4 (SS).

3. Manufacturer: Kerakoll S.p.A Via dell'Artigianato, 9 - 41049 Sassuolo (MO) Italia

4. System/s of AVCP: System 2+ and System 4 for reaction to fire

Harmonised standard: EN 1504-6:2006
 Notified body/ies: LRQA Iberia No.0094

6. Declared performance/s:

Essential characteristics	Performance	
Reaction to fire	Class A1	
Pull-out strength displacement Chloride ion content	≤ 0,6 mm at load of 75 KN ≤ 0,05 %	
Release of dangerous substances	See SDS	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: **Romano Sghedoni (legal representative)** At Sassuolo, on 09/06/2025

Mylede



DECLARATION OF PERFORMANCE No 0037

7. Unique identification code of the product-type: GEOLITE

8. Intended use/es: Repair products for concrete, used in buildings and civil engineering works according to principle 11 (CA).

9. Manufacturer: Kerakoll S.p.A Via dell'Artigianato, 9 - 41049 Sassuolo (MO) Italia

10. System/s of AVCP: System 2+

Harmonised standard: EN 1504-7:2006
 Notified body/ies: LRQA Iberia No.0094

12. Declared performance/s:

Essential characteristics	Performance
Shear adesion Corrosion protection	Pass Pass
Release of dangerous substances	See SDS

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: **Romano Sghedoni (legal representative)**At Sassuolo, on 09/06/2025

Meleole