kerakoll

DECLARATION OF PERFORMANCE No 0370

- 1. Unique identification code of the product-type: GEOCALCE MULTIUSO
- 2. Intended use/es: General purpose rendering/plastering mortar (GP)
- 3. Manufacturer: Kerakoll S.p.A Via dell'Artigianato, 9 41049 Sassuolo (MO) Italia
- 4. System/s of AVCP:

System 4

System 4 for reaction to fire

- Harmonised standard: EN 998-1:2016 Notified body/ies:-
- 6. Declared performance/s:

Essential characteristics	Performance	
Reaction to fire	Class A1	
Adhesion	≥ 0,5 N/mm² -FP:B	
Water absorption	W _c 1	
Water vapour diffusion coeff.	μ13	
Thermal conductivity ((λ10, dry)	0,54 W/mK (v.t.)	
Durability (against freeze-thaw) : evaluation based on provisions valid in the intended place of use of the mortar		
Release of dangerous substances	See SDS	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: **Romano Sghedoni (legal representative)** At Sassuolo, on 07/07/2025

Mofrede ..

Kerakoll Spa via dell'Artigianato 9 41049 Sassuolo (MO) Italia Società con unico socio Fin Firel Spa. Soggetta a direzione e coordinamento di Fin Firel Spa. +39 0536816511 +39 0536816581 info@kerakoll.com www.kerakoll.com Rea MO n. 231812 R.I./C.F./P.I. 01174510360 Cap. soc. € 2.000.000,00 i.v.

kerakoll

DECLARATION OF PERFORMANCE No 0370

- 1. Unique identification code of the product-type: GEOCALCE MULTIUSO
- 2. Intended use/es: Repair products for concrete, used in buildings and civil engineering works
- 3. Manufacturer: Kerakoll S.p.A Via dell'Artigianato, 9 41049 Sassuolo (MO) Italia
- 4. System/s of AVCP:

System 2+

System 4 for reaction to fire

- Harmonised standard: EN 1504-3:2005 Notified body/ies: LRQA Iberia No.0094
- 6. Declared performance/s:

Essential characteristics	Performance
Reaction to fire	Class A1
Compressive strength	Class R1
Chloride ion content	≤ 0,05 %
Adhesive bond	≥ 0,8 MPa
Thermal compatibility (freeze-thaw)	Pass
Release of dangerous substances	See SDS

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: **Romano Sghedoni (legal representative)** At Sassuolo, on 07/07/2025

Appreale ...

Kerakoll Spa via dell'Artigianato 9 41049 Sassuolo (MO) Italia Società con unico socio Fin Firel Spa. Soggetta a direzione e coordinamento di Fin Firel Spa. +39 0536816511 +39 0536816581 info@kerakoll.com www.kerakoll.com Rea MO n. 231812 R.I./C.F./P.I. 01174510360 Cap. soc. € 2.000.000,00 i.v.